UFB Ready Property Guidelines

Volume 4 - Premises Wiring Minimum Requirement Recommendation

Publication Date: 8th June, 2020

Document Number: ND0629 v2.1 (Volume 4)



Document Control

Copyright

Copyright © 2011 Chorus New Zealand Ltd

All rights reserved

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior written permission of Chorus New Zealand Limited.

This document is the property of Chorus New Zealand Limited and may not be disclosed to a third party, other than to any wholly owned subsidiary of Chorus New Zealand Limited, or copied without consent.



Table of Contents

1.	INTRODUCTION	4
1.1.1.	Objectives of Document	4
1.1.2.	Intended Audience	4
1.1.3.	Chorus Network Specified Product (CNSP)	4
1.1.4.	Contractual Reference	4
1.2.	RELATED REFERENCE MATERIAL	4
1.3.	OCCUPATIONAL SAFETY AND HEALTH	5
1.3.1.	Field Activity	
1.3.2.	Optical Fibre Safety	5
1.4.	GLOSSARY OF TERMS USED	5
2.	CUSTOMER PREMISES WIRING	8
2.1.	1. SDU BUILDING PENETRATION	
2.2.	ETP TO STAR WIRING BOX	9
2.3.	FAT TO HOME DISTRIBUTION HUB	
2.4.	INTERNAL PREMISES CABLING RECOMMENDATION	9
2.4.1.	Home distribution hub	9
2.4.2.	Recommended Cabling Standard	11
2.4.2.	1. Fibre pathways	11
2.4.2.	2. Substandard Cabling	11
2.4.2	3. Substandard Cable Installation & Termination	12
2.4.3.	Premises Star Wiring	12
2.4.3.		
2.4.3		
2.4.3	3. Example of Fibre Connectivity with voice calls from ONT	16

Table of Figures

Figure 1.	Building Penetration Guidelines	8
Figure 2.	Example of ETP Mounted on Walls	9
Figure 3.	Home distribution hub & Power Socket Orientation	10
Figure 4.	Power points with different orientations	11
Figure 5.	Internal Microduct	11
Figure 6.	Example of Good and Substandard Copper Wires in Cat6 Cable	11
Figure 7.	Example of Substandard Cat6 Cable Crimping & Punch Down	12
Figure 8.	Example of Premises Broadband Cabling Recommendation	13
Figure 9.	Example of Premises Broadband Cabling for Copper DSL	14
Figure 10.	Example of Premises Broadband Cabling for Fibre with voice calls from RSP modem	15
Figure 11.	Example of Premises Broadband Cabling for Fibre with voice calls from ONT	16



1. Introduction

1.1.1. Objectives of Document

The objective of this Manual is to provide the design and deployment standards for developers for new property developments or subdivision within Chorus' UFB areas and areas with existing Chorus fibre infrastructure. This document is separated into 4 volumes which covers different topics of the network.

This document is Volume 4 which covers:

• The recommended internal cabling from the Home Distribution Hub to all outlets.

1.1.2. Intended Audience

The intended audience of this document are Chorus, property developers and their contractors involved with the design and installation of optical fibre networks in new properties or property subdivision.

1.1.3. Chorus Network Specified Product (CNSP)

CNSP is an assessment and approval pathway for particular types of product and test equipment to ensure that a product meets criteria for:

- Whole of life performance
- Longevity, and
- Durability

Where a product is listed within the CNSP process, Chorus service partners must use that product from the approved supplier.

1.1.4. Contractual Reference

This document may be provided to Chorus Partners, Service Companies, Chorus Customers and 3rd party service providers for use alongside the relevant contracts for service or the relevant Standard Terms Determination.

Throughout this document, Chorus New Zealand is referred to as Chorus.

This document does not, in any way, vary the terms of the main contract between Chorus, Chorus service partners, 3rd party service providers, property developers or their representatives. If there is any conflict between the relevant contract and statements made in this document, the terms of the relevant contract shall prevail.

1.2. Related Reference Material

It is the responsibility of the contractor to research, understand and abide by the relevant national or local compliance standard as applicable to the location and tasks. The table below lists the national and international standards that may be associated or referenced within this standard. This list is not exhaustive.

Document No.	Document Title
AS/NZS 1367	Coaxial cable and optical fibre systems or the RF distribution of analogue and digital television and sound signals in single and multiple dwelling installations
AS/NZS 3000	Electrical Installations
AS/NZS 11801.1:2019	Information technology - Generic cabling for customer premises Part 1: General requirements (ISO/IEC 11801-1:2017, MOD)
ANZS3084-2003	Telecommunications Installations standard.
AS/NZS 3085	Telecommunications installations - Basic requirements
AS/NZS 3086	Telecommunications installations – Integrated telecommunications cabling systems for small office/home office premises
AS/NZS 3112	Approval and test specification - Plugs and socket-outlets
IEEE 802.3 2012	Power over Ethernet
	TCF Premises Wiring - Cable Installers Guidelines for Telecommunication Services https://www.tcf.org.nz/consumers/digital-living/wiring-your-home/



1.3. Occupational Safety and Health

1.3.1. Field Activity

Chorus prides itself on its quality installations for all customers. This company is fully cognisant of its health and safety obligations under the Health & Safety at Work Act 2015, including all its subornment legislation. The company provides fit for purpose equipment and complete our work to industry good practice standards.

All activity associated with network installation must be undertaken in strict accordance with all relevant legislative requirements and industry good practice standards, including but not limited to those for traffic management, electrical safety, work at height and local work practice safety precautions that apply to individual sites.

Technicians working on the Chorus network in customer premises will be required to adhere to and comply with both their own company health and safety requirements, and any site specific protocols as required by the customer. Technicians are responsible for establishing a robust risk identification practice, prior to commencing their work activities.

1.3.2. Optical Fibre Safety

This Chorus Build and Provisioning Programme provides supervision, of workers and/or site based safety supervisors with the general safety rules, task specific safety procedures and good practice industry standards for the installation of quality fibre optic cable systems, (cable handling, blowing, splicing, pulling, terminating testing and troubleshooting tasks as required for a great customer experience).

Our technicians take pride in their workmanship and this includes the appropriate steps to correctly dispose of fibre scraps carefully.

This is achieved with the use of disposable sharps containers that have a sealed lids.

Remembering that fibre scraps provide the same risk as would be experienced with glass splinters.

Handling cleaning chemicals and adhesives for quality checks are completed carefully and all Chorus technicians are familiar with the Material Safety Data Sheets (MSDS's) information pertaining to cleaning chemicals used.

Copies of further fibre optic safety and installation safe work method statements and a host of other safety related documentation can be made available to prospective subdivision developers upon request

1.4. Glossary of Terms Used

The following list describes some of the terms used in this document:

Term	Description
ATA	Analog Telephone Adapter
	A device that connects regular telephones to a broadband network for voice over IP (VoIP) service. The ATA delivers dial-tone, manages the call setup and provides the conversion between voice signals from an analogue telephone and IP packets.
BDD	Buried Distribution System
	An oval underground pit which provides a storage and connectivity point for microducts or FATs
CCA	Copper Clad Aluminium
	A type of substandard wire used in Ethernet cable that is NOT recommended by Chorus. Such cable type will not achieve the performance requirements for high speed broadband.
CPD	Chorus Property Development
	The team that works with Developers to get property developments connected (formerly known as the TSG – The Subdivision Group).
	www.chorus.co.nz/develop-with-chorus
CNSP	Chorus Network Specified Product
	A list of products which are technically approved by Chorus to ensure network compatibility and reliability.
СО	Central Office
	An exchange building which houses Chorus transmission equipment
Drop Cable	A 2F cable installed from the FFP or FAT in the Chorus distribution network. This is typically also referred to as the Service Lead.
DSL	Digital Subscriber Line
	The way a computer connects to the Internet at high speeds using telephone lines.



Term	Description
ETP	External Termination Point
	An outdoor enclosure mounted on the side of a premise which provides a point of connectivity from the lead-in fibre cable and the premise fibre cable.
FAT	Fibre Access Terminal An enclosure which provides breakout access of Chorus' cables to the lead-in cables into premises.
FFP	Fibre Flexibility Point An enclosure which provides a connectivity point between the feeder fibres from the CO to the distribution fibre to premises.
FTTP	Fibre To The Premise Optical fibre network constructed pursuant to the UFB Initiative
GPON	Gigabit Passive Optical Network
	A type of telecommunications network that uses a point-to-multipoint FTTP which uses unpowered optical splitters to enable a single feeder optical fibre to serve multiple premises.
Handhole	A small pit that is installed at the premises boundary as the location where the lead-in pipe into the premises is terminated. It is also used as a location to join microducts.
IBDN	In Building Distribution Network The optical fibre distribution network within a building premise.
I-FFP	Internal Fibre Flexibility Point An FFP which is installed indoors, typically in a TER
ID	Internal Diameter
Lead-In Cable	The Lead-In Cable is a cable that is installed from the premises boundary to the building within the premises. This can be a large multi-fibre cable to feed an MDU or a Service Lead connecting a single unit such as an SDU
LFC	Local Fibre Company The operator of the local optical fibre network such as Chorus
MDU	Multi Dwelling Unit A building which has two or more premises such as an apartment building.
Microduct	A specially manufactured tube that is used for fibre installation through the blowing technique.
Micronet	A Hexatronic air blown system consisting of microducts and cables used by Chorus for the optical fibre distribution network.
NZCCPTS	New Zealand Committee for the Co-ordination of Power and Telecommunication Systems
OD	Outer Diameter
OFDF	Optical Fibre Distribution Frame An optical fibre distribution frame installed in the CO to provide connectivity between the Chorus active transmission equipment to the outside plant network.
OLT	Optical Line Terminal A GPON Access Node installed in Chorus' CO that provides for the delivery of UFB services. The GPON OLT is installed in Chorus exchange buildings
ONT	Optical Network Terminal A GPON network equipment installed in the customer premise that provides for the delivery of UFB services.
PE	Poly Ethylene
RGW	Residential Gateway
	Equipment installed in the premise connected to the ONT which is used to centralise communications, typically referred to as a modem.
ROW	Rights of Way
	More than one premises with separate ownership sharing a common access to the public roads.
RSP	Retail Service Provider
	Telecommunication companies who use Chorus' optical fibre network to create retail UFB-
Ribbonet	based services which are sold to residents, businesses, schools and health premises. A Hexatronic air blown system consisting of microducts and cables used by Chorus for the



Term	Description
SDU	Single Dwelling Unit
	A premises which has a single customer connections
Service Lead	A Service Lead is a cable that connects from the Chorus distribution network to a single premises. The Service Lead can be a Drop Cable or an Indoor Cable.
TER	Telecoms Equipment Room
	A location in an MDU where the lead-in cable terminates into an I-FFP and where the IBDN converges.
TV	Television
UFB	Ultra-Fast Broadband
	FTTP broadband service providing high speed internet connectivity.
UPS	Uninterrupted Power Supply Battery pack which provides backup power supply to keep critical devices powered in the event of a power outage.
UTP	Unshielded Twisted Pair
	A type of twisted pair copper cabling used for carrying transmission signals
VOD	Video On Demand
	Video service where the end user is able to order videos on demand.
VoIP	Voice Over IP A methodology for the delivery of voice communication over IP network such as the internet.



2. Customer Premises Wiring

2.1. SDU Building Penetration

It is the responsibility of the installers to ensure that all building penetrations are sealed in accordance with the current version of the Building Code. The Building Code clause for External Moisture (E2) requires that buildings must be built to resist leaks, damp or the accumulation of external moisture in concealed spaces.


Acceptable Solution E2/AS1 is a supporting document to the Building Code clause for External Moisture. This solution provides one way of complying with the Building Code clause for External Moisture.

The link below is to the document "Acceptable Solutions and Verification Methods for New Zealand Building Code Clause E2 External Moisture". Refer to the section which outlines the general pipe and services penetration

https://www.building.govt.nz/building-code-compliance/e-moisture/e2-external-moisture

The figure below is a copy of figure 68 from the E2 compliance document. This details acceptable solutions effective from 1st January 2017. Installers must ensure that they comply with the current version of E2/AS1 as the current acceptable solution may differ from that shown below.

Note: The information here is for reference only. Always check the Building Code for the latest rules and regulations.



(a) DIRECT FIX WITH FLANGE PLATE

round

Figure 1. Building Penetration Guidelines

Pipe penetration sloping to outside



2.2. ETP to Star Wiring Box

For an SDU, an optical fibre cable needs to be routed from the ETP to the star wiring box to establish connection. It is recommended for a 20mm conduit to be installed with a Cat 6 Cable or Prysmian Optic@t composite cable pre-wired from the ETP to the star wiring box and accessible from both ends.

- If the premises is within a copper serving area, the Cat6 cable can be used to provide copper service
- If the premises is within a fibre servicing area, the Cat6 cable can be used as a draw cable, or the fibre from the composite cable can be used.

The ETP must be installed at a height of 300mm to 1500mm from ground level. The conduit must be installed within the range of the ETP install height.

As the ETP will be installed when the end customer requests for service, it is advisable for the conduit access hole from the external wall be temporarily sealed to prevent water ingress into the premises.

Leave at least 1.2m slack of cable at each end.



Figure 2. Example of ETP Mounted on Walls

2.3. FAT to Home distribution hub

For an Multi-Dwelling Unit (MDU), a Chorus approved and provided 2F optical fibre drop cable needs to be routed from the Fibre Access Terminal (FAT) to the home distribution hub to establish connection. One drop cable is to be installed for each customer premises. It is advisable for the drop cable from the FAT to the home distribution hub be installed in a conduit as it allows:

- A separation of optical fibre cable with other utilities
- Easy access to replace the drop cable in the cable in the future without breaking walls or ceilings.

The conduit needs to be continuous with swept bends. For longer runs, accessible inspection boxes at regular intervals will be preferable.

2.4. Internal Premises Cabling Recommendation

The following section outlines the recommended minimum premises wiring standards to enable an efficient distribution of broadband and telephone services throughout the premises. This standard enables:

- A star configuration which has a centralised connectivity and test point
- Easy reconfiguration of services to be distributed throughout the premises.

2.4.1. Home distribution hub

Requirements summary:

- · Plastic, WiFi transparent
- Large enough to house ONT, modem, switch, structured cabling, UPS etc
- Suitable location
- Power outlets

Note: This is aligned to the New Zealand Telecommunications Forum (TCF) and Chorus' MINIMUM home wiring recommendation. Depending on the conditions such as the premises design, intended equipment connectivity, connection flexibility, and network expansion capability, additional Ethernet cables can be installed to the various rooms for any additional requirements.




The wiring recommendation is applicable for either fibre or copper broadband services and future-proofs the premises.

It is recommended for a home distribution hub with the following requirements, specification and functionality:


- Use a plastic Home distribution hub such as the Dynamix HWS-2803WR. A metallic box will affect Wi-Fi performance.
- It must not be installed in a location with poor ventilation e.g. close to a heat source or high humidity.
- A minimum dimension of H700mm x W350mm x D80mm with louvre door with at least one 20mm conduit routed to the ETP. Bigger is better, allowing for multiple active devices such as ONT, RGW (Modem), Ethernet switch, alarm system, remote control repeaters etc.
- Internally mounted typically set into the side wall of a utility room or garage with easy access & front working space.
- If required, have sufficient space to house a UPS for power critical equipment.
- Integrated with patch panels suitable for connection types throughout the premises for cross-connect functionality.
 - One Telephone Hub sufficient to provide connectivity to each room
 - \circ 4x Ethernet jack points to the primary TV position, 2x Ethernet jack points to every other non-wet room.
- Be integrated with at least 3 power outlets to power equipment such as ONT, RGW, set top boxes and other centrally controlled devices.

Note: At least one power outlet orientation must have the earth pin parallel to the door. This is to enable the ONT power plug to be terminated in the socket.

• The RGW can be installed in the Home distribution hub.



Home distribution hub showing the 3rd Gen ONT with structured cabling, and room for additional active equipment.



In some Home distribution hubs the ONT power plug can only be terminated into the power socket if the earth plug orientation is parallel with the home distribution hub door.

Figure 3. Home distribution hub & Power Socket Orientation

Installing four power points, with different orientations will account for different equipment with different power supplies.





Figure 4. Power points with different orientations

2.4.2. Recommended Cabling Standard

The internal cabling of the premises is the responsibility of the developer or premises owner.

It is important that such cabling is compatible and compliant with the New Zealand Telecommunications Forum (www.tcf.org.nz) recommendations and international standards.

Chorus technicians have previously experienced low quality cable and substandard workmanship even in brand new houses.

Such low quality cabling will result in telephony and broadband services to experience reduced performance or in more severe cases, no service.

The premises owner will have to rectify any substandard cabling through their own contractor. It is advised for all home wiring to be tested and verified by qualified technicians before commissioning.

2.4.2.1. Fibre pathways

Additional fibre pathways for future fibre installation are also recommended. These pathways will allow fibre to be installed further into the premises beyond the Home Distribution Box. Pathways are typically microduct, either thick-wall microduct or internal rated Low Smoke Zero Halogen (LSZH) microduct with an outer sheath. These products can be sourced from your local electrical wholesaler, or from Hexatronic online shop (www.hexatronic.co.nz).




Figure 5. Internal Microduct

2.4.2.2. Substandard Cabling

Chorus recommends a minimum of Cat6 cabling to be installed if new cables are installed in the premises. Ensure that such cables and components are sourced from reputable suppliers or manufacturers.

In general, the quality of Cat6 cables is determined by factors such as the cable design, quality of the wires and the copper twist, while the quality of the components are determined by the material and contact.

An example of substandard wire quality is as shown below where a Copper Clad Aluminium (CCA) wire is used instead of full copper wires within the cable. Installing cheaper CCA wire will result in substandard Ethernet performance.




Figure 6. Example of Good and Substandard Copper Wires in Cat6 Cable



2.4.2.3. Substandard Cable Installation & Termination

The performance of Cat6 cabling also depends on the proper installation and termination of the cable. A few main points on the cabling are:

- Ensuring that the cable is not bent over the minimum bending radius limit
- Ensuring that the cable is properly punched into keystones and crimped onto connectors
- Copper pairs are kept twisted as close as possible to the point of termination
- Cables are not installed too close to electrical cabling, causing interference.






Figure 7. Example of Substandard Cat6 Cable Crimping & Punch Down

2.4.3. Premises Star Wiring

The recommended premises cabling is shown in the following diagram. This is an example of a premises cabling for broadband services only. Each RJ45 requires its own dedicated Cat6 cable.

This example does not include cabling for TV distribution through RF. For Coax cabling recommendation, please contact a specialist home wiring technician.






Figure 8. Example of Premises Broadband Cabling Recommendation



2.4.3.1. Example of Copper Broadband Connectivity

The diagram below shows an example of a copper broadband (DSL) connection through the home distribution hub (where the customer's premises is fed by a copper phone line).

- The DSL splitter voice output is terminated to the telephone hub
 - o The telephone hub multiple output is terminated to the jack points where telephony is required.
- The DSL splitter broadband output is terminated to the DSL modem
 - The DSL modem output is terminated to the jack points where broadband is required.




Figure 9. Example of Premises Broadband Cabling for Copper DSL



2.4.3.2. Example of Fibre Connectivity with voice calls from RSP modem

The diagram below shows an example of a fibre connection, with the ATA voice service from the modem or RGW, through the home distribution hub.

- The ONT Ethernet output is terminated to an RJ45 port to the RGW in the lounge area
 - o The ATA voice output from the RGW is terminated back to the home distribution hub which is then connected to the telephone hub
 - o The telephone hub multiple output is terminated to the jack points where telephony is required.
- The Ethernet output from the RGW is terminated back to the home distribution hub which is then connected to an Ethernet switch
 - The Ethernet switch output is terminated to the jack points where broadband is required.

Note: An Ethernet switch is required in this situation as there is insufficient jack points from the lounge to distribute Ethernet connections to the office and bedroom 3.




Figure 10. Example of Premises Broadband Cabling for Fibre with voice calls from RSP modem



2.4.3.3. Example of Fibre Connectivity with voice calls from ONT

The diagram below shows an example of a fibre connection, with the ATA voice service from the ONT, through the home distribution hub.

- The ONT Ethernet output is terminated to an RJ45 port to the RGW in the lounge area
 - The Ethernet output from the RGW is terminated back to the home distribution hub which is then patched to the jack points where broadband is required.

 Note: An Ethernet switch is NOT required in this situation as there are two jack points from the lounge that can be used to directly patch to the office and bedroom 3.
- The ATA voice output from the ONT is terminated to the telephone hub
 - o The telephone hub multiple output is terminated to the jack points where telephony is required.




Figure 11. Example of Premises Broadband Cabling for Fibre with voice calls from ONT